



DIY handmade goods— Cynthia's holiday




Instruction Manual


NOTICE OF ASSEMBLE

Making tips

1. LED wiring indication: White=Positive; Grey=Negative.
2. Use a craft blade to carefully skim over the plastic to bare the copper wire.
3. For LED wiring extension, please refer to the below steps:




Twist the copper of both LED wire and extension wire together.




Do the same on the white wire.
Remarks: Tie a knot at the end of the grey wire to differentiate the polarity.




Place the duly twist wire on the tapes provided.



Roll and wrap the wire.



Place another wire next to it.
Remarks: DO NOT contact both copper wire to avoid short circuit.



Roll and wrap it together.

Warnings


- The product is not suitable for children under 14 years old. The should be under custody of adults when playing with the product.
- There are small parts, please do not swallow for avoiding dangerous accidents.
- Please also play attention to the sharp-pointed materials to avoid injuries.

Tips for assembling

1. Pictures shown on the package may be slightly different from the actual product.
2. Please use the provided tracing paper for cutting purpose to achieve the best outcome.
3. Product designs and specification maybe subject to change without advance notice for purpose of making improvement.
4. Testing on LED function:



DO NOT contact the LED wire end direct to the battery cell.



- ✓ Use the provide battery holder.
- Make sue the correct polarity.

How to assemble the battery holder




1. Material and tools needed:
- Battery holder, LED bulb, tape, screw driver and 2 piece AA size battery(not provided)



2. Use screw driver and take the lid off from the battery holder.



3. Insert the battery take notes on the polarity.



4. Connect the red wire to grey wire. Connect the black wire to white wire.



5. Wrap the exposed wire with the tapes.



6. Place the box lid and fastness with screw driver.

Product information



Installation of dust proof cover




D01 Transparent cover
0.15*14.5*20.4(1piece)



D02 Transparent cover
0.15*12.3*14.8(1piece)



D03 Transparent cover
0.15*15.3*20.4(1piece)




1. Tear off kraft paper of each piece of transparent cover.


Photo of Dust proof cover










(For updated version, the parts need to be purchased separately)







2. Paste D01, D02, and D03 together to complete the dust proof cover as shown.










Table









Flower






Bookcase






10



2




4




11


Two seat sofa




5



12




1




6


Book




A09-17




2




7




1



3



8




9




3


Repeat above same steps to make other pillows.



2




10




Stairs


1




3



One seat sofa



1



4

The cushions and backrest making of one seat sofa are same as 5~8 of two seat sofa.

Pillow

C12 : 3*5cm




3cm

5cm


1

Apply the glue according to the red lines as shown. Fold the cloth in half.

Bed




5




2



Insert some cotton to C16 as shown. Apply the glue on the top and fix it as shown.






1








6



Guitar




















From inside to outside as shown.




3 Cut C15 according to the template of A09-3 as shown.













1







Repeat above same steps 1 ~ 3 to make above potted plant.







15




2. Use a craft blade to carefully skim over the plastic to bare the copper wire. Twist the same colour wire together.


3. Twist the following wire together:
 (I) BLACK wire from the battery box with the WHITE wire from LED bulb.
 (II) RED wire from the battery box with the GREY wire from LED bulb.



1



4. Roll and seal the duly twist copper with the white tape provided. Place the battery box in the allocated space.



2

How to connect to battery box

Statement: the lamp wires cannot be inserted into the output socket.

- Please notice the place of anode and cathode when pit in the batteries
- Rechargeable batteries are not blunt electricity
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed from the toy before charging
- Different types of batteries cannot mix;
- Do not mix new batteries in use with semi-used batteries.



1. Trim all the LED wiring to the same length.

Photo Gallery



Attention: Please keep the instruction manual for future enquires after installation.